



企业产品资料介绍

成都音非智能物流装备有限公司

二零二壹年 第一版

一、公司简介

成都音非智能物流装备有限公司创立于2011年，是一家集智能物流规划设计，仓储物流装备供应，智慧工厂物流整体解决方案的专业服务商，提供的仓储货架、工位器具、物流系统和自动化立体仓库货架的规划、设计、供应、安装、调试检测及咨询服务深受食品饮料、医药化工、商业配送、电子电器、机械制造、第三方物流等各行业信赖。

音非公司自成立以来一直重视技术创新，在研发方面持续投入，相继取得各种新型专利13件，软件著作权3件，已为上百个企业提供各类产品和服务，深得国家电网、中车、中石油、京东、武警部队、熊猫电子、汉能股份、捷普科技、明欣药业、正和祥药业连锁、瑞星燃气设备、普华永道、科星电器、中远集团等众多企业的一致好评。


音非人必当继续秉承“做智慧工厂物流解决方案专业服务商”的经营理念，立足客户，自身不断超越进取，以硬件、数据和系统相融合的方式来助力更多优秀企业建设更智能、更高效的智慧仓储物流系统。

经营目标：为努力提高仓储物流业的发展而不懈奋斗

经营理念：一流的设计 一流的产品 一流的服务

企业精神：专心做方案 凝心做服务 用心做企业

企业价值观：高效 团队 专业 协作



二、彩页资料介绍及部分工程实例图

轻型货架 Light duty shelf



标准规格表 (Popular Dimensions)

高度 Height	长度 Length	宽度 Width	承载(kg/level) Load capacity
2000	900	450	150
		600	180
	1200	450	125
		600	150
	1500	450	100
		600	120
	1800	450	85
		600	100

表面喷塑 Standard finish: powder coated

特点描述:

1. 结构简单、经济实用;
2. 无需地面固定, 可任意排列组合;
3. 适于存储较轻的小件物品;

Descriptions:

1. Simple structure and economical;
2. No anchor required, freely combined;
3. Designed for light duty small parts;

中A型货架 Medium duty shelf



特点描述:

1. 结构简单、外形美观;
2. 无螺栓连接, 仅用橡皮锤就可以安装;
3. 适用于仓库、医院、图书馆、车间等等;

Descriptions:

1. Simple structure and nice appearance;
2. No bolt required, easy installation by rubber hammer;
3. Applications include use in warehouses, offices, workshops, hospitals ;

中B型货架Long span shelf



中B型货架Long span shelf



木层板Particle board



钢层板Steel shelf



异形镀锌钢层板Pre-galvanized Shelf

特点描述:

1. 结构与托盘货架类似，由立柱、横梁、层板组成；
2. 层板有多种选择，包括喷塑板、镀锌板及木板；
3. 每层可承载300-800kg；

Descriptions:

1. Similar structure with pallet racking;
2. Multi-choice for shelf including powder coated & pre-galvanized & particle board;
3. Load capacity can reach 300-800kg/level;

常用规格表 (Popular Dimensions)

名称 Item	常用规格 Popular Dimensions(mm)					备注 Remark
立柱高度 Upright Height	H1800	H2000	H2200	H2500	H3000	其他尺寸请咨询销售人员 Other dimensions please consult with our salesman
横梁长度 Beam Length(c-c)	L960	L1260	L1560	L1860		
货架深度 Shelf Depth	D450	D500	D550	D600	D700	



特点描述:

可以充分利用库房面积,大批量存储小件物品;
根据需求可设计为2层或3层;可采用叉车或提
升机批量上货;人工拣选配货。

Descriptions:

To make full use of your warehouse cubic,
multi-tier shelving can create large multi-floor
structures(2 or 3 floors), capable of storing
massive quantities of documents, records or
small parts.



特点描述:

平台与钢筋混凝土平台相比,具有施工快,造价低
中,易装易拆,且可易地使用,结构新颖漂亮的特点。
此种平台立柱间距通常在4-6m以内,一楼高
3m左右,二、三楼高2.5m左右。楼面载重通常在
每平方米1000kg以内。

Descriptions:

Compared with conventional concrete mezzanine,
it has much more advantages as quickly equipped,
competitive cost, simply assembling or dismantling,
and moreover, it can be installed or dismantled freely
from one warehouse to another.






货位式货架是最经济实用的储存系统之一。叉车可以灵活的存取任意位置的托盘。所有托盘也都可以单独的移动，底层的托盘可以直接放置在地面上以降低储存成本



Selective Racking is the most cost effective storage system. It provides direct access to all pallets . Pallets can be located, accessed and moved individually, providing rapid handling of palletized goods. Lower level pallets can be located on the floor for picking purposes. This lowers structure costs



隔档pallet support



网片层板wire deck



圆桶支架drum cradle



防护栏 end barrier



护脚column guard



护脚column guard



后档back stopper

窄巷道货架VNA system



特点描述:

窄巷道货架通常与高位叉车配合使用, 与普通平衡重叉车相比, 这种专用叉车可以节约50%左右的通道宽度; 专用高位叉车一般使用导轨或者磁力线在巷道内进行导向, 通常这种类型的货架最底层需要配置横梁。

Descriptions:


The system is served by specialized high lift fork in very narrow aisles. The benefit being up to 50% saving in aisle width when compared to a counter balance forklift. The fork lift can be guided within the aisles by steel guide rails or magnetic lineation. Normally need beams on the bottom level.

自动化立体仓库AS/RS system



物流控制系统





特点描述:

1. 占地面积小, 充分利用垂直方向的空间。
箱斗通过自动认证存取物料。
2. 入口处的光电保护系统能有效的保证操作者和物料的安全; 具有过载保护功能;
3. 全封闭的箱体, 使库内物料有效防尘、防盜。
4. 可进行上位机管理, 实现多台回转库联网操作, 同时进行物品的存取、查找等操作, 使物料更易于管理。

Descriptions:

The most efficient storage and retrieval System;
Emergency access system allows 100% access to all items;
Provides secured and restricted access;
Fast, easy and reliable.



特点描述:

与货位货架相比, 贯通货架大幅度提高了仓库的使用面积, 是一种成本最低的高密度存储的方式, 适合大批量少品种产品的存储, 广泛应用于食品、烟草、润滑油等行业。

Descriptions:

It is a extremely efficient storage concentration. Pallets are stored back-to-back without aisles for exceptionally dense storage. This style system is an excellent solution for product that is not time or date sensitive, or for fast moving pallets that are rotated frequently.





特点描述:

与贯通货架相比,后推式货架的空间利用能力几乎相当,但更安全可靠,所有的操作叉车都不需要进入货架内部;

适用于对无先进先出原则要求不高的产品;

Descriptions:

Pushback Racks offer the same storage density as drive-in & drive-thru racks but greater security. All loads are stored and retrieved from the aisle; Obviously, the ideal application for Push back Racks will be where all loads in a lane are identical and first-in/first-out stock rotation is not crucial.



特点描述:


重力式货架是最昂贵的高密度存储方式,通常根据托盘的材质及载重等条件设计滚道的斜度,托盘从高端存取,低端取货;

由于此种货架可以做到先进先出,因此适用与对保质期及保质期有要求的产品存储;

Descriptions:

Gravity Flow Racks are similar to Push back Racks except loads are generally deposited on one side and flow gently to the other. In many ways a Gravity Flow Rack is like a conveyor within a rack structure. Suited to FIFO - "First-In-First-Out" Applications FIFO storage is ideal when handling material that is date critical or perishable

穿梭车货架 Shuttle Rack



特点描述:

穿梭车货架是一种高效、高密度、低成本的存储方式，与贯通货架相比，存储能力相当，但安全可靠，货架不容易损坏；

此种货架需要与穿梭车配合适用，穿梭车通过遥控从入口接收托盘送入巷道或者将巷道内的托盘运到巷道入口。

Descriptions:

A shuttle system consists of supporting rack, shuttle rails and a shuttle cart. The shuttle cart runs on the rails and is propelled by an electric motor. It also has a platform on the top that can lift up and down. The lifting action is required to lift a pallet that is placed on the rail and then the electric motor moves the cart with the pallet on top into the rack in order to deposit the pallet in its right position. All the movements of the shuttle cart are controlled with a hand held remote control. The shuttle cart is placed in the desired lane with a forklift.

悬臂式货架 Cantilever Racking



特点描述:

对于长度及宽度尺寸没有规律的产品，悬臂货架无疑是个最好的选择，它经常被用于存储长管件或者木材制品或者家具等，悬臂货架的开放式设计决定了存储的时候对货物能起到很大的保护作用。

Descriptions:

Cantilever rack is the ideal solution for long or heavy items such as pipe storage, tubing storage or lumber storage. Furniture rack, carpet rack or lumber rack perfectly stores long products and allows them to be removed without damage due to excessive maneuvering around vertical or horizontal obstructions.



特点描述:

滚轮货架主要是利用货物的自重逐个从入口端自滑到取货口的一种存储方式，当出货口的货物被取走后，后面的货物逐渐滑向出口；
可以配套使用导轨来保持货物沿滚轮方向滑动
通常用于装配生产线等

Descriptions:

It uses gravity to keep product stocked and ready for picking. As one product is picked from the front of the rack, another slides forward into its place.
Product can kept separate by using guide rails to keep the product in neat lanes.
Normally use in assembly line.




特点描述:

通常用于存储各种模具，可以在货架顶端配套安装可横向移动的吊起重装置来进行存取，每层抽屉安装有水平及垂直导向轮，使用时仅需要很小的力量就可以拖出。每层抽屉还配备安全定位装置以保证使用的安全性。通常根据要求的承载区分为重型及轻型抽屉货架。

Descriptions:

Drawer racking mainly used in the storage of various moulding items. Moveable carriage can be added to the top of the rack. At the bottom of the drawer are idler wheel rails, which could be pulled freely with little efforts. The racking comes with an additional positioned safety device, making it safe and reliable; They can be categorized into light duty and heavy duty, depending on the loading capacity.

移动式货架 Mobile Shelving & Racking



特点描述:

移动货架是一种简单且有效节约空间的存储方式，整个货架系统可以沿着铺设在地面上的轨道移动，所以只需要一个巷道空间就可以取到任何一个位置的货物；
重型移动货架尤其适用于冷库中使用；

Descriptions:

Mobile shelving & racking is easily configured for space-saving mobile storage. With the mobile system mounted on chassis which move along guide tracks set into the floor, the floor space for only one 'moving' operating aisle is required to access all locations.
This space-saving design makes mobile pallet racking particularly suited to cold stores;

电缆货架 Cable Racking



特点描述:

存储不同型号及重量电缆的理想选择，电缆轴支撑采用圆管或实心轴材料，广泛应用于电力及通讯行业；
设计有安全保险装置，防止意外情况出现；
所有尺寸可根据实际需求调整；

Descriptions:

Superb system allowing storage of cable drums of various sizes and weights Drums are supported by heavy duty pipes seated in special brackets. Widely used in electrical and telecommunication industries
Unique safety hook feature allows safe handling
Fully adjustable to allow various bay configuration



钢托盘 Steel Pallet



钢托盘 Steel Pallet



钢料箱 Steel Container



木托盘 Wooden Pallet



堆垛架 Stacking Pallet



堆高车 Pallet Truck



手动液压车 Hand Pallet Truck



周转车 Mobile Carts



登高车 Stepladder



仓储笼 wire container





仓储笼常用规格表 (Popular Dimensions)

规格尺寸 Dimension (mm)	丝径(mm) Diameter	网间距 grid size(mm)	承载(kg) Load capacity
800*800*850	Φ6.0	50*50	700
1000*800*850	Φ6.0	50*50	1200
1000*800*850	Φ6.4	50*50	1500
1000*800*850	Φ6.4	50*100	1000
1200*1000*900	Φ6.0	50*50	1500
1200*1000*900	Φ6.4	50*50	2000
1200*1000*900	Φ6.4	50*100	1000

其他规格可向业务人员咨询



网片围栏 wire fence



网片层板 wire deck



可折叠物流箱 Foldable Container



背挂式零件盒 wall-hung Plastic Box



塑料托盘 Plastic Pallet



塑料托盘 Plastic Pallet



滚筒式输送机 Roller Conveyor



链条式输送机 Chain Conveyor


公司文化

经营目标：
为努力提高仓储物流业的发展而不懈奋斗

经营理念：
一流的设计 一流的产品 一流的服务

企业精神：
专心做方案 凝心做服务 用心做企业

企业价值观：
高效 团队 专业 协作



康明斯(中国)投资有限公司成都分公司-横梁式货架



四川明欣药业有限公司-横梁式货架



成都新筑股份有限公司-横梁式货架等



四川圣山白玉兰实业有限公司-横梁式货架1、2期



中远航空货运代理有限公司-横梁式货架



瑞星久宇（成都）燃气设备有限公司阁楼货架




四川正和祥药业有限公司大区医药货架



部分客户一览表

用户名称	项目名称	项目地址	完成项目质量	备注
国家电网西藏电力有限公司	青藏直流联网工程（西藏段） 生产准备换流站货架采购	西藏拉萨林周	优秀	
四川汉能光伏有限公司	四川汉能光伏有限公司仓储 设备采购	成都双流	优秀	
成都新筑路桥机械股份有限公司	长客新筑新库房货架采购	成都新津	良好	
四川明欣药业股份有限公司	重型托盘货架采购	成都温江区	优良	
五粮液集团四川圣山白玉兰实业有限公司	原材料库房横梁式货架采购	成都龙泉驿区	优良	
王老吉大健康产业（雅安）有限公司	原材料库房仓储设备采购	四川雅安市	优秀	
四川尚非服饰有限公司	库房货架采购	四川南充	良好	
中远国际航空货运代理有限公司	库房货架采购	成都双流	优秀	
中国人民解放军78542部队	营房货架采购项目	四川雅安	优秀	
南京熊猫电子装备有限公司	仓储设备采购	成都双流	优秀	
成都京东世纪贸易有限公司	仓储设备采购	成都新都、青白江、 郫县	优秀	
成都久宇燃气设备有限公司	仓储货架等设备采购	成都青羊区、大邑	优秀	
四川正和祥健康管理有限公司	大区医药仓库货架	德阳广汉市	优秀	
成都六维包装有限公司	西门子产品专用钢平台	成都温江区	优秀	

三、企业资质及荣誉



中华人民共和国国家版权局
计算机软件著作权登记证书

证书号： 软著登字第5867976号

软件名称： 基于物联网的智能化仓储WMS信息服务管理系统
V1.0

著作权人： 成都音非智能物流装备有限公司

开发完成日期： 2019年03月26日

首次发表日期： 未发表

权利取得方式： 原始取得

权利范围： 全部权利

登记号： 2020SR0989280

根据《计算机软件保护条例》和《计算机软件著作权登记办法》的规定，经中国版权保护中心审核，对以上事项予以登记。




No. 06302236


计算机软件著作权
登记专用章
2020年08月26日

中华人民共和国国家版权局
计算机软件著作权登记证书

证书号： 软著登字第5867968号

软件名称： 智慧仓储设备集成管控系统
V1.0

著作权人： 成都音非智能物流装备有限公司

开发完成日期： 2019年08月09日

首次发表日期： 未发表

权利取得方式： 原始取得

权利范围： 全部权利

登记号： 2020SR0989272

根据《计算机软件保护条例》和《计算机软件著作权登记办法》的规定，经中国版权保护中心审核，对以上事项予以登记。




No. 06302237


计算机软件著作权
登记专用章
2020年08月26日

中华人民共和国国家版权局
计算机软件著作权登记证书

证书号： 软著登字第5865553号

软件名称： 自动化立体仓储进出库输送操作系统软件
V1.0

著作权人： 成都音非智能物流装备有限公司

开发完成日期： 2019年05月28日

首次发表日期： 未发表

权利取得方式： 原始取得

权利范围： 全部权利


登记号： 2020SR0986857

根据《计算机软件保护条例》和《计算机软件著作权登记办法》的规定，经中国版权保护中心审核，对以上事项予以登记。




No. 06300790


计算机软件著作权
登记专用章
2020年08月26日



四、生产情况



THANKS!



成都音非智能物流装备有限公司 版权所有 www.cdyinfei.com

TEL:028-87368868 19950088868